UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/616,495	07/09/2003	Jordan T. Bourilkov	08935-292001 / M-5028 9718	
²⁶¹⁶¹ FISH & RICH <i>A</i>	7590 02/11/200 ARDSON PC	EXAMINER		
P.O. BOX 1022		PARSONS, THOMAS H		
MINNEAPOLIS, MN 55440-1022			ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			02/11/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Occurrence	10/616,495	BOURILKOV ET AL.				
Office Action Summary	Examiner	Art Unit				
	THOMAS H. PARSONS	1795				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 29 No.	ovember 2007					
•	action is non-final.					
<i>,</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
	closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4)⊠ Claim(s) <u>5-9 and 26-39</u> is/are pending in the application.						
• • • • • • • • • • • • • • • • • • • •	4a) Of the above claim(s) <u>5-9</u> is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.	· · · · · · · · · · · · · · · · · · ·					
· · · · · · · · · · · · · · · · · · ·						
6) Claim(s) <u>26-39</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9)☐ The specification is objected to by the Examiner.						
10)☐ The drawing(s) filed on is/are: a)☐ acce	epted or b) \square objected to by the E	Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)	A) 🔲 Indonésia - Communica	(PTO 442)				
1)						
3) Information Disclosure Statement(s) (PTO/SB/08) 5) Notice of Informal Patent Application						
Paper No(s)/Mail Date 6) Other:						

Art Unit: 1795

Response to Amendment

This is in response to the Amendment filed 29 November 2007.

DETAILED ACTION

Claim Objections

1. The objection to claims 26 and 31 because of minor informalities has been **withdrawn** in view of Applicants' Amendment.

Claim Rejections - 35 USC § 112

- 2. The rejection of claim 31-35 under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention has been **withdrawn** in view of Applicants' Amendment.
- 3. Claim 39 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 39 reads "39. (New) The adapter of claim 1...." It is unclear as to which claim is being further limited, as claim 1 has been canceled.

Art Unit: 1795

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 26-28, and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bean et al. (6,955,863) in view of Droppo et al. (6,628,011).

Claim 26: Bean et al. in Figures 2, 3A and 11 disclose a hybrid power supply comprises: an adapter comprising: a member including appropriate mating fittings (110, 112) on a common planar surface (see Figures 4A, 4B and 9, col. 4: 65-col. 5: 11, col. 5: 44-62, and col. 8: 24-46) to allow the member to connect to a battery (102) or a source of fuel (104) for a fuel cell system for powering an electronic device (101, 240) and; a switching type DC/DC boost type converter (230) coupled to the member (100, 202) and which receives energy from a fuel cell (104, 220) or from an external battery connected to the member (col. 3: 33-47, col. 4: 13-35, col. 10: 3-10, and 64-67).

Bean et al. do not disclose a switching type DC/DC boost type converter that is arranged to deliver the energy to a rechargeable cell, the DC/DC converter configured to provide substantially constant current drain from the fuel cell.

Droppo et al. in Figures 2-4 disclose a switching type DC/DC boost type converter (14) that is arranged to deliver the energy to a rechargeable cell (25), the DC/DC converter configured to provide substantially constant current drain from the fuel cell (col. 2: 28-col. 4: 35). The

configuration of the converter is similar to that instantly disclosed, and, therefore, would obviously provide substantially constant current drain from the fuel cell.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified apparatus of Bean et al. by substituting the booster with the booster and rechargeable battery of Droppo et al. because Droppo et al. teach a booster in combination with a rechargeable battery that would have provided a power management system that manages power flow to and from multiple, isolated DC power sources and energy storage devices while delivering high quality alternating power to a load thereby improving the overall energy conversion of the apparatus.

Claim 27: The rejection is as set forth above in claim 26 wherein further Droppo et al. disclose a circuit (12) disposed to sense when a voltage is present across terminals of the member interface to cause power to be supplied to rechargeable battery from an external battery when the external battery is present or from a fuel cell when the battery is not present (col. 2: 55-65).

In particular, Droppo et al. disclose that the controller module 12 senses and analyzes the operating output of the power sources 20, 25. The system 12 also automatically controls the charging and discharging of the battery bank.

Claim 28: The rejection is as set forth above in claim 26 wherein further Droppo et al. in Figure 4 disclose that the circuit includes a diode (Da) coupled between an output terminal of the fuel cell and a terminal of the member that connects an external battery to the hybrid supply (col. 1: 23-46 and col. 4: 1- col. 5: 56).

Claim 30: The rejection is as set forth above in claim 26 wherein further Droppo et al. disclose in Figures 2 and 3 a circuit including a fuel cell current control (22) that senses fuel cell

current and controls in part operation of the converter (40) to provide constant (DC) current discharge on the fuel cell side of the hybrid power supply (col. 2: 66-col. 3: 67).

In particular, Droppo et al. disclose that the DC to DC converter operates with its own current control circuit 15 that receives input signals from the fuel cell. The fuel cell would obviously sense signals that are input into the current control circuit.

6. Claim 29 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bean et al. in view of Droppo et al. as applied to claim 26 above, and further in view of Payne.

Bean et al. and Droppo et al. are as applied, argued, and disclosed above and incorporated herein.

Claim 29: The Bean et al. combination does not disclose a circuit including a circuit including: a first transistor biased through a resistor to conduct power from the fuel cell to a load; a second transistor arranged where if an external battery is inserted, the gate voltage of the first transistor turns the transistor off, preventing connection of the fuel cell to the battery, and the second transistor is biased through a second resistor to conduct power from the battery to the load.

Beans et al. on col. 11: 27-28 disclose, "One skilled in the art can readily choose a power supply 230 without undue experimentation, and Droppo et al. disclose on col. 4: 3-6, "...Of course, many other circuit arrangements could be developed to perform the same functions and the invention is therefore not limited to any particular circuit arrangement..." Therefore, it would have been within the skill of one having ordinary skill in the art of converter circuitry to readily choose a circuit including a circuit including: a first transistor biased through a resistor to

Art Unit: 1795

conduct power from the fuel cell to a load; a second transistor arranged where if an external battery is inserted, the gate voltage of the first transistor turns the transistor off, preventing connection of the fuel cell to the battery, and the second transistor is biased through a second resistor to conduct power from the battery to the load.

However, Payne in Figure 1 1-3 discloses a circuit including transistors and resistors, and that a variety of other circuit (i.e. linear and switching) topologies can alternatively be employed.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the circuit of the Bean et al. combination by incorporating the circuit of Payne et al. because Payne teaches a dc/dc converter that would have provided simple over-current protection thereby improving the overall performance of the power supply.

7. Claims 31-33 and 35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bean et al. (6,955,863) in view of Droppo et al. (6,628,011), and further in view of Payne (5,309,082).

Claim 31: Bean et al. in Figures 2, 3A and 11 disclose a hybrid power supply comprising:

a fuel cell (104, 220);

an adapter (100, 202) between the fuel cell (104, 220) and a fuel cartridge (210a) or external battery (102, 210b), the adapter comprising:

a member including appropriate mating fittings (110, 112) on a common planar surface (see Figures 4A, 4B and 9, col. 4: 65-col. 5: 11, col. 5: 44-62, and col. 8: 24-46) to allow the

member to connect to a battery (102) or a source of fuel (104) for a fuel cell system for powering an electronic device (101, 240) and;

a switching type DC/DC boost type converter (230) that receives energy from a fuel cell (104, 220) or an external battery connected to the member (col. 3: 33-47, col. 4: 13-35, col. 10: 3-10, and 64-67).

Bean et al. do not disclose a switching type DC/DC boost type converter which is arranged to deliver the energy to a rechargeable cell.

Droppo et al. in Figures 2-4 disclose a switching type DC/DC boost type converter (14) which is arranged to deliver the energy to a rechargeable cell (25)(col. 2: 28-col. 4: 35). The configuration of the converter is similar to that instantly disclosed, and, therefore, would obviously provide substantially constant current drain from the fuel cell.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified apparatus of Bean et al. by substituting the booster with the booster and rechargeable battery of Droppo et al. because Droppo et al. teach a booster in combination with a rechargeable battery that would have provided a power management system that manages power flow to and from multiple, isolated DC power sources and energy storage devices while delivering high quality alternating power to a load thereby improving the overall energy conversion of the apparatus.

Bean et al. on col. 11: 13-17 disclose a fuel cell sensor. Further, Beans et al. on col. 11: 27-28 disclose, "One skilled in the art can readily choose a power supply 230 without undue experimentation, and Droppo et al. disclose on col. 4: 3-6, "...Of course, many other circuit arrangements could be developed to perform the same functions and the invention is therefore

not limited to any particular circuit arrangement..." Therefore, it would have been within the skill of one having ordinary skill in the art of converter circuitry to modify the circuitry of the Bean et al. combination to include a fuel cell sensor/comparator, included in a feed back loop disposed about the DC/DC converter.

However, Payne in Figures 1-3 disclose a DC/DC converter including a feedback control loop about the DC/DC converter and that a variety of other circuit (i.e. linear and switching) topologies can alternatively be employed.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was to have modified the apparatus of the Bean et al. combination by incorporating the feedback control loop of Payne because Payne teaches a dc/dc converter that would have provided simple over-current protection thereby improving the overall performance of the power supply.

Claim 32: The rejection is as set forth above in claim 31 wherein further the recitation "a fuel cell current sensor/comparator draws a constant current that is about equal to an optimal level of current to draw from the fuel cell to maximize fuel efficiency" has been construed as a functional limitation that adds no additional structure to the hybrid power supply. However, as stated above in claim 31, it would have been within the skill of one having ordinary skill in the art of converter circuitry to modify the circuitry of the Bean et al. combination to include a fuel cell sensor/comparator that provides that claimed function.

Claim 33: Because the hybrid power supply of the Bean et al. combination is structurally similar to that instantly disclosed, it obviously would be configured so that the fuel cell provides

just above expected average power consumption for a particular application, and the rechargeable battery providing peak power requirements.

Claim 35: Because the hybrid power supply of the Bean et al. combination is structurally similar to that instantly disclosed, the circuit would obviously deliver an output voltage that corresponds to about 90% charge of the rechargeable cell.

8. Claim 34 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bean et al. in view of Droppo et al., and further in view of Payne as applied to claim 31 above, and further in view of Amatucci (6,517,972).

Bean et al., Droppo et al., and Payne are as applied, argued, and disclosed above, and incorporated herein.

Claim 34: The Bean et al. combination discloses a hybrid power supply comprising a rechargeable battery (see Droppo et al., col. 3: 23-25) but are silent as to a Li-ion or Li-Polymer rechargeable cell.

Amatucci discloses a hybrid power supply comprising a Li-ion or Li-Polymer rechargeable cell (col. 2: 43-col. 3: 11).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have modified the hybrid power supply of the Bean et al. combination by incorporating the Li-ion or Li-Polymer rechargeable cell of Amatucci because Amatucci teaches a Li-ion or Li-Polymer rechargeable cell that would have been capable of being recharged over numerous cycles to provide reliable power sources for a wide range of electrical utilization devices, and capable of exhibiting high energy density, high power density, and long operative

Art Unit: 1795

life thereby improving the overall reliability, utilization, life, and performance of the hybrid power supply.

Claim Rejections - 35 USC § 102

9. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 10. Claims 36-39 are rejected under 35 U.S.C. 102(e) as being anticipated by Bourilkov et al. (US 2004/0253500).

The applied reference has a common inventor with the instant application. Based upon the earlier effective U.S. filing date of the reference, it constitutes prior art under 35 U.S.C. 102(e). This rejection under 35 U.S.C. 102(e) might be overcome either by a showing under 37 CFR 1.132 that any invention disclosed but not claimed in the reference was derived from the inventor of this application and is thus not the invention "by another," or by an appropriate showing under 37 CFR 1.131.

Claim 36: Bourilkov et al. in Figure 2 disclose an adapter comprises:

a member (20) including appropriate mating fittings (32, 34) on a common planar surface to allow the member to connect to a battery (via 34a, 34b) or a source of fuel (via 32) for a fuel cell system for powering an electronic device. See paragraphs [0021]-[0022].

Art Unit: 1795

Because the member of Bourikov et al. is structurally the same as that instantly disclosed, the member anticipates an adapter.

Claim 37: Bourilkov et al. in Figure 2 disclose that the appropriate mating fittings (32, 34) on the member (20) include a pair of spaced battery terminals (34) and an aperture (32) to receive an ingress port on a fuel cell interconnect. See paragraphs [0021]-[0022].

Claim 38: Bourilkov et al. in Figures 2, 5 and 6 disclose that the member includes electronics (24) to convert power incident at an input of the adapter to an output power level at the pair of spaced battery terminals (34). See paragraphs [0021]-[0022] and [0031]-[0033].

Claim 39: As best understood by the Examiner, claim 39 has been considered to be dependent upon claim 36.

Bourilkov et al. in Figure 2 disclose that the member (20) includes a wire coupled to an electronic plug. See paragraphs [0021]-[0022].

Response to Arguments

11. Applicant's arguments with respect to claims 26-39 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

12. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

Art Unit: 1795

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Examiner Correspondence

Any inquiry concerning this communication or earlier communications from the examiner should be directed to THOMAS H. PARSONS whose telephone number is (571)272-1290. The examiner can normally be reached on M-F (7:00-3:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Pat Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

Art Unit: 1795

like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/PATRICK RYAN/ Supervisory Patent Examiner, Art Unit 1795

Thomas H Parsons Examiner Art Unit 1795
